

marquis  
COLLECTION by Kingsman



S O L A R A

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Unit Illustrated is a MQZDV3622N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQLOGC22 Split Oak Log Set, Z1GBL Black Grill Kit, Z3622ML Metal Brick Liner and Optional VLBIT6 Small Log Bits.

## WALL SURROUND

FLATT

BLACK

PEWTER

## STYLING



SPLIT OAK LOG SET



ROCK COLLECTION



STRAIGHT DESIGNER  
DOOR WITH SCREEN



ARCH DESIGNER  
DOOR WITH SCREEN

# Add Some **SIZZLE**

Incredibly versatile, the Solara is perfectly at home with a classic mantle or contemporary wall surround. Plus you can also choose a log set or a contemporary rock set.



**PAINTED BROWN<sup>\*</sup>**  
**WALL SURROUND**  
with black band accents.

**PEWTER**  
**WALL SURROUND**  
with black and chrome  
band accents.

**BLACK**  
**WALL SURROUND**  
with black corner accents.

\*Choose your own color with Stove Bright Paint!


Unit Illustrated is a MQZDV3622N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQROCK2 Contemporary Rock Collection, MQRSP5 Rock Support Platform, Z36CVCK Designer Clean View Circulating Kit, MQ36SWFBL Flatt Wall Surround – Black, M

Corner Framing Dimensions (inches)

LOUVERED

CLEAN VIEW CIRCULATING KIT (CVCK)

	MQZDV3318	MQZDV3622	MQZDV3318	MQZDV3622
A	43 <sup>3</sup> / <sub>4</sub> "	50 <sup>15</sup> / <sub>16</sub> "	48 <sup>7</sup> / <sub>8</sub> "	56"
B	33"	36 <sup>3</sup> / <sub>8</sub> "	33 <sup>7</sup> / <sub>8</sub> "	38 <sup>7</sup> / <sub>16</sub> "
C	32 <sup>1</sup> / <sub>2</sub> "	36"	33 <sup>9</sup> / <sub>16</sub> "	38 <sup>1</sup> / <sub>16</sub> "
D	5 <sup>3</sup> / <sub>8</sub> "	7 <sup>5</sup> / <sub>16</sub> "	7 <sup>1</sup> / <sub>2</sub> "	8 <sup>3</sup> / <sub>4</sub> "
E	31"	36"	34 <sup>9</sup> / <sub>16</sub> "	39 <sup>5</sup> / <sub>8</sub> "
F	8 <sup>1</sup> / <sub>2</sub> "	11"	8 <sup>1</sup> / <sub>2</sub> "	11"
G	12"	15 <sup>1</sup> / <sub>4</sub> "	12"	15 <sup>5</sup> / <sub>8</sub> "
H	21 <sup>7</sup> / <sub>8</sub> "	25 <sup>1</sup> / <sub>2</sub> "	24 <sup>7</sup> / <sub>16</sub> "	28"



Top Flue Model	Width	Height
----------------	-------	--------

VIEWING AREA

MQZDV3318	25 <sup>1</sup> / <sub>2</sub> "	14 <sup>5</sup> / <sub>16</sub> "
MQZDV3622	29 <sup>3</sup> / <sub>4</sub> "	16 <sup>1</sup> / <sub>8</sub> "

Top Flue Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing

LOUVERS


MQZDV3318	30 <sup>1</sup> / <sub>2</sub> "	31"	32 <sup>3</sup> / <sub>8</sub> "	33"	15 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> "
MQZDV3622	33 <sup>1</sup> / <sub>2</sub> "	34"	36"	36 <sup>3</sup> / <sub>8</sub> "	15 <sup>11</sup> / <sub>16</sub> "	15 <sup>1</sup> / <sub>4</sub> "

CLEAN VIEW CIRCULATING KIT (CVCK)

MQZDV3318	30 <sup>3</sup> / <sub>8</sub> "	33 <sup>3</sup> / <sub>8</sub> "	33 <sup>9</sup> / <sub>16</sub> "	33 <sup>7</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>16</sub> "	17 <sup>3</sup> / <sub>4</sub> "
MQZDV3622	33 <sup>3</sup> / <sub>4</sub> "	36 <sup>3</sup> / <sub>4</sub> "	38 <sup>1</sup> / <sub>16</sub> "	38 <sup>7</sup> / <sub>16</sub> "	18 <sup>11</sup> / <sub>16</sub> "	17 <sup>3</sup> / <sub>4</sub> "

MQSW Wall Mount Surround Dimensions (inches)

	MQ33SWF	MQ36SWF
A	35 <sup>5</sup> / <sub>16</sub> "	37 <sup>5</sup> / <sub>32</sub> "
B	45 <sup>13</sup> / <sub>16</sub> "	50 <sup>5</sup> / <sub>16</sub> "
C	28 <sup>3</sup> / <sub>8</sub> "	32 <sup>15</sup> / <sub>16</sub> "
D	17 <sup>13</sup> / <sub>16</sub> "	19 <sup>5</sup> / <sub>8</sub> "
E	8 <sup>3</sup> / <sub>4</sub> "	8 <sup>3</sup> / <sub>4</sub> "
F	8 <sup>3</sup> / <sub>4</sub> "	8 <sup>3</sup> / <sub>4</sub> "
G	8 <sup>3</sup> / <sub>4</sub> "	8 <sup>3</sup> / <sub>4</sub> "
H	1"	1"
I	1 <sup>3</sup> / <sub>16</sub> "	1 <sup>3</sup> / <sub>16</sub> "



Model

Fuel  
Input Max.  
Input Min.  
FE (P.4.1-02)

Model	MQZDV3318N	MQZDV3318LP	MQZDV3622N	MQZDV3622LP
Fuel	Natural	Propane	Natural	Propane
Input Max.	19,000 BTU	18,000 BTU	21,000 BTU	21,000 BTU
Input Min.	12,100 BTU	11,900 BTU	14,200 BTU	16,200 BTU
FE (P.4.1-02)	53.4%	51.4%	63.9%	60.2%

STANDARD FEATURES

- > Millivolt or IPI valve system allows operation during a power failure with Hi/low heat and flame adjustment.
- > Mobile Home, Bedroom and Bed Sitting Room approved.
- > A Flame Sensor that constantly monitors the pilot flame and provides 100% gas shut off if pilot is not sensed.

OPTIONAL FEATURES

Designer Clean View Circulating Kit – No Louvers Required.

Louvers – Grills available in Black, Classic Series Black with Antique, Chrome or Polished Brass accents

Overlay Doors – Deluxe, Top Half

Designer Doors – Arch or Straight Black Doors

Surrounds Wide (Louvered Units) – Polish Brass, Antique or Chrome

Coverage – MQZDV3318 – 31<sup>3</sup>/<sub>16</sub>" h x 36<sup>5</sup>/<sub>8</sub>" w  
MQZDV3622 – 34<sup>1</sup>/<sub>4</sub>" h x 41<sup>1</sup>/<sub>8</sub>" w

Surrounds Slim Line (Louvered Units) – Polished Brass, Antique Brass, Chrome or Gun Metal Black

Coverage – MQZDV3318 – 30<sup>7</sup>/<sub>8</sub>" h x 33<sup>7</sup>/<sub>8</sub>" w  
MQZDV3622 – 34<sup>1</sup>/<sub>4</sub>" h x 37<sup>1</sup>/<sub>2</sub>" w

Fan Kit – Heat activated with variable speed control

Thermostat – Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Control – On/Off, Thermostat, Thermostat/Modulating or Thermostat/Modulating Fan

Child Safety Screen

Porcelain Reflective Liner or Metal Brick Liner

Wall Surrounds – Flatt with Black or Pewter Finishes

Wall Surrounds Accents

- > Keystone – Brushed Chrome or Black
- > Designer Band Accents – 4 x Black (sml), 2 x Chrome (lrg)
- > Designer Corner Accents – 4 x Black



 marquis  
COLLECTION | by Kingsman



Kingsman Fireplaces maintains a program of continuous testing refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.  
Certification: The models MQZDV3318N, MQZDV3318LP, MQZDV3622N, MQZDV3622LP, are certified to ANSI Z21.88-2009, CSA 2.33-2009, CGA 2.17-M91 vented gas fireplace heater.

