



CAPELLA

DIRECT VENT GAS FIREPLACE INSERT

TRIM OPTIONS

BLACK

PEWTER

VINTAGE COPPER VEIN

STYLING





ROCK COLLECTION



DECORATIVE STONE



WHITE



COBALT



**BRONZE** 

DECORATIVE EMBER GLASS

# **BRICK LINERS**



TRADITIONAL











Model **Fuel** Input Low **FE** (P.4.1-02) IDV26N / IDV26NE NATURAL 30.000 BTU 21,000 BTU 65.3% / 67.2%

IDV26LP / IDV26LPE **PROPANE** 30.000 BTU 25,000 BTU 65.3% / 67.2%

#### MINIMUM FIREPLACE OPENING

		WIDTH	HEIGHT	DEPTH
	IDV26	33"/28"*	19 1/2"	14 ½"
*Components In (CV1) 33", Components Out (CV2) 28"				8"

#### MINIMUM UNIT COVERAGE

IDV26	WIDTH	HEIGHT
I26CV1 (Clean View-CV1)* I26CV2 (Clean View-CV2)*	34 ½" 41 ½"	22" 25 ½"
*Back Frame Dimension of Clean View Kit		

### **CLEAN VIEW AND SURROUND SIZES**

IDV26	WIDTH	HEIGHT
(Clean View Three Sided) 126CV1 126CV2	35 <sup>5</sup> / <sub>8</sub> " 44 <sup>5</sup> / <sub>8</sub> "	22 <sup>3</sup> / <sub>4</sub> " 26 <sup>5</sup> / <sub>8</sub> "
(Clean View Picture Frame) 126CVPF1 126CVPF2	35 <sup>5</sup> / <sub>8</sub> " 44 <sup>7</sup> / <sub>8</sub> "	25 <sup>7</sup> / <sub>8</sub> " 33 ½"
(Clean View with Designer Door) 126CV1DSBL	35 ⅓"	22 3/4"
(Surrounds - Three Sided) 126S1 126SU*	42" 47 ½"	27 ½" 28 5/8"
(Surrounds - Picture Frame) 126SPF1 126SU*	39 <sup>3</sup> / <sub>8</sub> " 47 <sup>1</sup> / <sub>2</sub> "	29 <sup>3</sup> / <sub>4</sub> " 35 <sup>5</sup> / <sub>8</sub> "
*Universal Surround can be cut to size for custom application.		

- 1. IDV26N Direct Vent Insert Natural Gas, MQLOGF26 Log Set, I26CVPF2BL Clean View Picture Frame – Black, IDV26RL Refractory
- 2. IDV26N Direct Vent Fireplace Insert Natural Gas, LOGF27 Log Set, 126CV1DSBL Clean View - Designer Door - Black, I26S1BL Surround Black.
- 3. IDV26N Direct Vent Insert Natural Gas, I26CV1CV Clean View -Copper Vein, MQLOGF26 Log Set, I26S1CV Surround - Copper Vein, IDV26RL Refractory Brick Liner.
- 4. IDV26N Direct Vent Insert Natural Gas, MQLOGF26 Log Set, 126CV1PW Clean View - Pewter, I26S1PW Surround - Pewter, IDV26RL Refractory Brick Liner

### STANDARD FEATURES\*

- > Dual Burner with glowing embers and decorative ash bed
- > Millivolt or IPI (intermittent pilot ignition) valve system allows operation during power failure with adjustable flame control.
- > Matchless Piezo Ignition
- > Heat radiating Ceramic Glass
- > On/Off Rocker switch
- > Heat activated blower with variable speed control

## **OPTIONAL FEATURES**

Clean View Kit – Black, Pewter and Copper Vein Picture Frame Clean View - Black, Pewter and Copper Vein

Surrounds – Black, Pewter and Copper Vein

Surrounds Picture Frame – Black, Pewter and Copper Vein Contemporary Rock Collection\* – Natural, or Multi-Colored (Rock Support Platform required)

**Decorative Stones or Ember Chunks** 

(Glass Support Platform required)

Decorative Ember Glass\* – White, Cobalt (Blue), or Bronze (Glass Support Platform required)

Log Set – Fibre Split Oak

Wall Mount Thermostat - Standard On/Off or Programmable

Remote Control - On/Off, Thermostat, Modulating Thermostat.

Designer Doors - Straight

Porcelain Reflective Liners

Brick Refractory Liner - Traditional Child Safety Screen









